


Lesson 14

Objective: Divide decimals with a remainder using place value understanding and relate to a written method.

Suggested Lesson Structure

■ Fluency Practice	(12 minutes)
■ Application Problems	(8 minutes)
■ Concept Development	(30 minutes)
■ Student Debrief	(10 minutes)
Total Time	(60 minutes)



Fluency Practice (12 minutes)

- Multiply and Divide by Exponents **5.NBT.2** (3 minutes)
- Round to Different Place Values **5.NBT.4** (3 minutes)
- Find the Quotient **5.NBT.5** (6 minutes)

Multiply and Divide by Exponents (3 minutes)

Materials: (S) Personal white boards

Notes: This review fluency will help solidify student understanding of multiplying by 10, 100, and 1000 in the decimal system.

T: (Project place value chart from millions to thousandths.) Write 65 tenths as a decimal. Students write 6 in the ones column and 5 in the tenths column.

T: Say the decimal.

S: 6.5

T: Multiply it by 10^2 .

S: (Students cross out 6.5 and write 650.)

Repeat the process and sequence for 0.7×10^2 , $0.8 \div 10^2$, 3.895×10^3 , and $5472 \div 10^3$

Round to Different Place Values (3 minutes)

Materials: (S) Personal white boards

Notes: This review fluency will help solidify student understanding of rounding decimals to different place values.

- T: (Project 6.385.) Say the number.
- S: 6 and 385 thousandths.
- T: On your boards, round the number to the nearest tenth.
- S: (Students write $6.385 \approx 6.4$.)

Repeat the process, rounding 6.385 to the nearest hundredth. Follow the same process, but vary the sequence for 37.645.

Find the Quotient (6 minutes)

Materials: (S) Personal white boards

Notes: Reviewing these skills that were introduced in Lesson 13 will help students work towards mastery of dividing decimals by single-digit whole numbers.

- T: (Write $14 \div 2 = \underline{\quad}$.) Write the division sentence.
- S: $14 \div 2 = 7$.
- T: Say the division sentence in unit form.
- S: $14 \text{ ones} \div 2 = 7 \text{ ones}$.

Repeat the process for $1.4 \div 2$, $0.14 \div 2$, $24 \div 3$, $2.4 \div 3$, $0.24 \div 3$, $30 \div 3$, $3 \div 5$, $4 \div 5$, and $2 \div 5$.

Application Problems (8 minutes)

A bag of potato chips contains 0.96 grams of sodium. If the bag is split into 8 equal servings, how many grams of sodium will each serving contain?

Bonus: What other ways can the bag be divided into equal servings so that the amount of sodium in each serving has two digits to the right of the decimal and the digits are greater than zero in the tenths and hundredths place?

$0.96 \div 8$
 $= 96 \text{ hundredths} \div 8$
 $= 12 \text{ hundredths}$
 $= 0.12 \text{ g of sodium per serving}$

Bonus:
 96 can be divided by:
 2 \rightarrow 0.48 g ✓
 3 \rightarrow 0.32 g ✓
 4 \rightarrow 0.24 g ✓
 5 \rightarrow 0.192 g X
 6 \rightarrow 0.16 g

7 \rightarrow too many decimal places X
 9 \rightarrow too many decimal places X
 10 \rightarrow less than 0.11 X

Concept Development (30 minutes)

Materials: (S) Place value chart, disks for each student

Problem 1

$$6.72 \div 3 = \underline{\quad}$$

$$5.16 \div 4 = \underline{\quad}$$

- T: (Write $6.72 \div 3 = \underline{\quad}$ on the board and draw a place value chart with 3 groups at bottom.) Show 6.72 on your place value chart using the number disks. I'll draw on my chart.
- S: (Students represent their work with the disks. For the first problem, the students will show their work with the number disks, and the teacher will represent the work in a drawing. In the next problem set, students may draw instead of using the disks.)
- T: Let's begin with our largest units. We will share 6 ones equally with 3 groups. How many ones are in each group?
- S: 2 ones. (Students move disks to show distribution.)
- T: (Draw 2 disks in each group and cross off in the dividend as they are shared.) We gave each group 2 ones. (Record 2 in the ones place in the quotient.) How many ones did we share in all?
- S: 6 ones.
- T: (Show subtraction in algorithm.) How many ones are left to share?
- S: 0 ones.
- T: Let's share our tenths. 7 tenths divided by 3. How many tenths can we share with each group?
- S: 2 tenths.
- T: Share your tenths disks, and I'll show what we did on my mat and in my written work. (Draw to share, cross off in dividend. Record in the algorithm.)
- S: (Students move disks.)
- T: (Record 2 in tenths place in the quotient.) How many tenths did we share in all?
- S: 6 tenths.
- T: (Record subtraction.) Let's stop here a moment. Why are we subtracting the 6 tenths?
- S: We have to take away the tenths we have already shared. → We distributed the 6 tenths into 3 groups, so we have to subtract it.
- T: Since we shared 6 tenths in all, how many tenths are left to share?




**NOTE ON
MULTIPLE MEANS OF
REPRESENTATION:**

In order to activate prior knowledge, have students solve one or two whole number division problems using the number disks. Help them record their work, step-by-step, in the standard algorithm. This may help students understand that division of whole numbers and the division of fractions is the same concept and process.

MP.6

- S: 1 tenth.
- T: Can we share 1 tenth with 3 groups?
- S: No.
- T: What can we do to keep sharing?
- S: We can change 1 tenth for 10 hundredths.
- T: Make that exchange on your mat. I'll record.
- T: How many hundredths do we have now?
- S: 12 hundredths.
- T: Can we share 12 hundredths with 3 groups? If so, how many hundredths can we share with each group?
- S: Yes. We can give 4 hundredths to each group.
- T: Share your hundredths and I'll record.
- T: (Record 4 hundredths in quotient.) Each group received 4 hundredths. How many hundredths did we share in all?
- S: 12 hundredths.
- T: (Record subtraction.) Remind me why we subtract these 12 hundredths? How many hundredths are left?
- S: We subtract because those 12 hundredths have been shared. → They are divided into the groups now, so we have to subtract 12 hundredths minus 12 hundredths which is equal to 0 hundredths.
- T: Look at the 3 groups you made. How many are in each group?
- S: 2 and 24 hundredths.
- T: Do we have any other units to share?
- S: No.
- T: How is the division we did with decimal units like whole number division? Turn and talk.
- S: It's the same as dividing whole numbers except we are sharing units smaller than ones. → Our quotient has a decimal point because we are sharing fractional units. The decimal shows where the ones place is. → Sometimes we have to change the decimal units just like changing the whole number units in order to continue dividing.
- T: (Write $5.16 \div 4 = \underline{\quad}$ on board.) Let's switch jobs for this problem. I will use disks. You record using the algorithm.



**NOTES ON
MULTIPLE MEANS OF
ACTION AND
EXPRESSION:**

Students should have the opportunity to use tools that will enhance their understanding. In math class, this often means using manipulatives. Communicate to students that the journey from concrete understanding to representational understanding (drawings) to abstraction is rarely a linear one. Create a learning environment in which students feel comfortable returning to concrete manipulatives when problems are challenging. Throughout this module, the number disks should be readily available to all learners.

Follow questioning sequence from above as students record steps of algorithm as teacher works the place value disks.

Problem 2

$6.72 \div 4 = \underline{\quad}$

$20.08 \div 8 = \underline{\quad}$

T: (Show $6.72 \div 4 = \underline{\quad}$ on the board.) Solve this problem using the place value chart with your partner. Partner A will draw the number disks and partner B will record all steps using the standard algorithm.

S: (Students solve.)

T: Compare the drawing to algorithm. Match each number to its counterpart in the drawing.

Circulate to ensure that students are using their whole number experiences with division to share decimal units. Check for misconceptions in recording. For the second problem in the set, partners should switch roles.

Problem 3

$6.372 \div 6 = \underline{\quad}$

T: (Show $6.372 \div 6 = \underline{\quad}$ on the board.) Work independently using the standard algorithm to solve.

S: (Students solve.)

T: Compare your quotient with your partner. How is this problem different from the ones in the other problem sets? Turn and talk.

Problem Set (10 minutes)

Students should do their personal best to complete the Problem Set within the allotted 10 minutes. For some classes, it may be appropriate to modify the assignment by specifying which problems they work on first. Some problems do not specify a method for solving. Students solve these problems using the RDW approach used for Application Problems.

Student Debrief (10 minutes)

Lesson Objective: Divide decimals with a remainder using place value understanding and relate to a written method.

The Student Debrief is intended to invite reflection and active processing of the total lesson experience.

Invite students to review their solutions for the Problem Set. They should check work by comparing answers

Handwritten student work for Problem Set. The student's name is Sandra and the date is April 6. The work shows two problems:

a. $4.236 \div 3 = 1.412$

The place value chart for problem a shows 4 ones, 2 tenths, 3 hundredths, and 6 thousandths. The standard algorithm shows $3 \overline{)4.236}$ with a quotient of 1.412.

b. $1.324 \div 2 = 0.662$

The place value chart for problem b shows 1 one, 3 tenths, 2 hundredths, and 4 thousandths. The standard algorithm shows $2 \overline{)1.324}$ with a quotient of 0.662.

with a partner before going over answers as a class. Look for misconceptions or misunderstandings that can be addressed in the Debrief. Guide students in a conversation to debrief the Problem Set and process the lesson. You may choose to use any combination of the questions below to lead the discussion.

- How are dividing decimals and dividing whole numbers similar? How are they different?
- Look at the quotients in Problem 1(a) and 1(b). What do you notice about the values in the ones place? Explain why 1b has a zero in the ones place.
- Explain your approach to Problem 4. Because this is a multi-step problem, students may have arrived at the solution through different means. Some may have divided \$4.10 by 5 and compared the quotient to the regularly priced avocado. Others may first multiply the regular price, \$0.94, by 5, subtract \$4.10 from that product, and then divide the difference by 5. Both approaches will result in a correct answer of \$0.12 saved per avocado.

Exit Ticket (3 minutes)

After the Student Debrief, instruct students to complete the Exit Ticket. A review of their work will help you assess the students’ understanding of the concepts that were presented in the lesson today and plan more effectively for future lessons. You may read the questions aloud to the students.

Name _____

Date _____

1. Draw number disks on the place value chart to solve. Show your steps using the standard algorithm.

a. $4.236 \div 3 = \underline{\hspace{2cm}}$

Ones	Tenths	Hundredths	Thousandths
b.			
c.			
d.			
e.			
f.			
g.			
h.			
i.			

$$3 \overline{) 4.236}$$

b. $1.324 \div 2 = \underline{\hspace{2cm}}$

Ones	Tenths	Hundredths	Thousandths

$$2 \overline{) 1.324}$$

2. Solve using the standard algorithm.

a. $0.78 \div 3 = \underline{\hspace{2cm}}$	b. $7.28 \div 4 = \underline{\hspace{2cm}}$	c. $17.45 \div 5 = \underline{\hspace{2cm}}$
---	---	--

3. Grayson wrote the following in her math journal: $1.47 \div 7 = 2.1$
Use words, numbers and pictures to explain why Grayson's thinking is incorrect.
4. Mrs. Nguyen used 1.48 meters of netting to make 4 identical mini hockey goals. How much netting did she use per goal?
5. Esperanza usually buys avocados for \$0.94 apiece. During a sale, she gets 5 avocados for \$4.10. How much money did she save per avocado? Use a tape diagram and show your calculations.

Name _____

Date _____

1. Draw number disks on the place value chart to solve. Show your steps using long division.

a. $5.372 \div 2 =$ _____

Ones	Tenths	Hundredths	Thousandths

$$2 \overline{) 5.372}$$

2. Solve using the standard algorithm.

a. $0.178 \div 4 =$ _____

Name _____

Date _____

1. Draw number disks on the place value chart to solve. Show your steps using long division.

a. $5.241 \div 3 =$ _____

Ones	Tenths	Hundredths	Thousandths
●			

$$3 \overline{) 5.241}$$

b. $3.445 \div 5 =$ _____

Ones	Tenths	Hundredths	Thousandths
●			

$$5 \overline{) 3.445}$$

2. Solve using the standard algorithm.

a. $0.64 \div 4 = \underline{\hspace{2cm}}$	b. $6.45 \div 5 = \underline{\hspace{2cm}}$	c. $16.404 \div 6 = \underline{\hspace{2cm}}$
---	---	---

3. Mrs. Mayuko paid \$40.68 for 3 kg of shrimp. What's the cost of 1 kg of shrimp?
4. The total weight of 6 pieces of butter and a bag of sugar is 3.8 lb. If the weight of the bag of sugar is 1.4 lb., what's the weight of each piece of butter?